

Prepared for:

RAD EXTRACTS

860 Commercial Lane
Palmer Lake, CO USA 80133

Bulk 1500 mg Salmon mixture

Batch ID or Lot Number: 545821	Test: Potency	Reported: 18Mar2024	USDA License: N/A
Matrix: Unit	Test ID: T000274196	Started: 15Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 13Mar2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.494	4.853	48.940	1.70	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	1.366	4.438	6.570	0.20	
Cannabidiol (CBD)	4.592	13.028	1545.110	55.20	
Cannabidiolic Acid (CBDA)	4.709	13.363	ND	ND	
Cannabidivarin (CBDV)	1.086	3.081	9.750	0.30	
Cannabidivarinic Acid (CBDVA)	1.965	5.574	ND	ND	
Cannabigerol (CBG)	0.848	2.755	75.720	2.70	
Cannabigerolic Acid (CBGA)	3.546	11.517	ND	ND	
Cannabinol (CBN)	1.107	3.594	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	2.419	7.858	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.224	13.721	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.837	12.462	74.500	2.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.399	11.041	ND	ND	
Tetrahydrocannabivarin (THCV)	0.772	2.506	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.998	9.739	ND	ND	
Total Cannabinoids			1760.590	62.80	
Total Potential THC			74.500	2.70	
Total Potential CBD			1545.110	55.20	

Final Approval



Karen Winternheimer
18Mar2024
01:40:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
18Mar2024
01:41:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7294531e-5c6a-4d76-80ff-aa30fc4624f9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
7294531e5c6a4d7680ffaa30fc4624f9.1